


Monteringsvägledning
Montagehandleiding
Manuel de montage
Instrucciones de montaje



T39ELEU UP V6 40999279



Darf nur von autorisierten
Elektrofachkraft ausgeführt werden.

Må kun installeres af en autoriseret elinstallatør.

Installeras endast av en kvalificerad elektriker.

Installatie verplicht uit te voeren door een erkend elektricien.


Doit être installé par un électricien agréé.

Solo para ser instalado por electricista autorizado.





~~T20VAC/60Hz~~

Extension
Verlängerung
Forlængerdele
Förlängningar
Verlengstukken
Modification




X	VR931:		VR918: VR911+VR915:
45 - 55 mm	STANDARD	+	Standard
35 - 45 mm	VR931+10		VR918+10
25 - 35 mm	VR931+20		VR918+20
15 - 25 mm	VR931+30		VR918+30
5 - 15 mm	VR931+40		VR918+40
-5 - 5 mm	VR931+50		VR918+50


Lätta konstruktion
Holle wandconstructie
Construction légère
Pared liviana





Kakelplattor
Tegels
Carreaux
Baldosas





Målarfärg/Tapet
Kleurstof/Behang
Peinture/Tapisserie
Pintar/Tapiz




Lätta konstruktion
Holle wandconstructie
Construction légère
Pared liviana





Stora kakelplattor
Grote tegels
Grands carreaux
Baldosas grandes



Murverk
Massieve wand
Mur Plein
Albañilería





VR929:



Kakelplattor
Tegels
Carreaux
Baldosas

Målarfärg/Tapet
Kleurstof/Behang
Peinture/Tapisserie
Pintar/Tapiz







Cementpuds
Cementplester
Ciment à base de plâtre
Yeso de cemento



Lightweight wall
Leichtwand
Let væg

Lätta konstruktion
Holle wandconstructie
Construction légère






Pared liviana



Masonry
Mauerwerk
Murværk

Murverk
Massieve wand
Mur Plein



Albañilería



Coverings
Verkleidungen
Beklædning

Betäckningar
Bekledingen
Revêtement

Revestimientos



VOLA T39EL-230V



Fitting of trim


Montage von Aufputzteilen

Montering af udvendige dele

Montering av utvändiga delar

Montage van de afbouwdelen

Montage des parties visibles



www.vola.com

mmt_T39ELAP_V10_40999628



5 703182 372785

vola

Only to be serviced by authorized electrician.

Darf nur von autorisierter Elektrofachkraft ausgeführt werden.




Må kun serviceres af en autoriseret elinstallatør.

Serviceras endast av en kvalificerad elektriker.


Onderhoud verplicht uit te voeren door een erkend elektricien.

Doit être entretenu par un électricien agréé.

Provide a disconnection device according to the wiring rules, that ensures a complete disconnection from all poles of the mains supply with a contact separation according to the overvoltage category III requirements.



Extension Verlängerung		Forlængerdele Förlängningar	Verlængstukken Modification
Y		VR931:	VR918: VR911+VR915:
Tiles:	15 - 25 mm	Standard	Standard
Fliesen:	25 - 35 mm	VR931+10	VR918+10
Fliser:	35 - 45 mm	VR931+20	VR918+20
Fliser:	45 - 55 mm	VR931+30	VR918+30
Tegels:	55 - 65 mm	VR931+40	VR918+40
Carreaux:	65 - 75 mm	VR931+50	VR918+50



Extension, retrofit
Verlängerung, nachträglicher Einbau
Forlængerdele, eftermontering

Förlängningar, eftermontering
Aanpassing na montage
Modification après installation

X	VR931:	VR918: VR911+VR915:
45 - 55 mm	Standard	Standard
35 - 45 mm	VR931+10	VR918+10
25 - 35 mm	VR931+20	VR918+20
15 - 25 mm	VR931+30	VR918+30
5 - 15 mm	VR931+40	VR918+40
-5 - 5 mm	VR931+50	VR918+50

